


AVTEX FIBERS, INC.
OU10 ADMINISTRATIVE RECORD FILE *
INDEX OF DOCUMENTS



SDMS DocID 464543

III. REMEDIAL RESPONSE PLANNING

1. Report: Remedial Investigation Summary Report, prepared by Environmental Resource Management, Inc. (ERM), 8/1/94. P. 300001-300081.
2. Report: Preliminary Ecological Risk Assessment, prepared by U.S. EPA, 4/97. P. 300082-300298.
3. Report: Site-Wide Quality Assurance Project Plan, Avtex Fibers, Front Royal, Virginia, Volume I of III, prepared by ERM, and Environmental Chemistry Consultants, Inc. 9/30/99. P. 300299-300426.
4. Report: Site-Wide Quality Assurance Project Plan, Avtex Fibers, Front Royal, Virginia, Appendix A, Volume II of III, Revision No. 1, prepared by ERM, 9/30/99. P. 300427-300896.
5. Report: Site-Wide Quality Assurance Project Plan, Avtex Fibers, Front Royal, Virginia, Appendix B, Volume III of III, Revision No. 1, prepared by ERM, 9/30/99. P. 300897-301881.
6. Letter to Mr. William Cutler, FMC, from Ms. Bonnie Gross, U.S. EPA, re: Approval of U.S. EPA receipt of Final Site-Wide Quality Assurance Plan, 10/4/99. P. 301882-301882.
7. Report: Field Sampling and Analysis Plan, Avtex Fibers, Operable Unit 7, prepared by Exponent, 7/00. P. 301883-302104.
8. Report: Feasibility Study (FS) Work Plan, Avtex Fibers, Operable Unit 7, prepared by Exponent, 8/00. P. 302105-302321.
9. Report: Work Plan to Conduct Feasibility Study for Viscose Basins 1-8, the New Landfill, and the WWTP Closure (OU10), prepared by ERM, 8/2/00. P. 302322-302347.

* Administrative Record File Available 7/31/03, updated 1/13/04, 3/10/04 and 1/20/06.

10. Letter to Mr. William Cutler, FMC, from Ms. Bonnie Gross, U.S. EPA, re: Acceptance of FMC's response to comments and incorporation into the final work plan, 8/15/00. P. 302348-302348.
11. Letter to Ms. Bonnie Gross, U.S. EPA, from Mr. William Cutler, FMC, re: Submittal of the Field Sampling and Analysis Plan (FSAP) for the Investigation of Overburden Ground Water at Viscose Basins (VB) 1 through 8 and the New Landfill (OU-10), 12/20/01. P. 302349-302350.
12. Report: Field Sampling Analysis Plan Supplement for OU-7, prepared by FMC, (undated). P. 302351-302358.
13. Letter to Mr. William Cutler, FMC, from Ms. Bonnie Gross, U.S. EPA, re: Transmittal of request for approval of Field Sampling and Analysis Plan Supplement (FSAP) for the Investigation of Overburden Ground Water at Viscose Basins (VB) 1 through 8 and the New Landfill (OU-10), 1/8/02. P. 302359-302359.
14. Report: Baseline Human Health Risk Assessment, Avtex Fibers, Front Royal, Virginia, prepared by Gradient Corporation, 7/25/02. P. 302360-302774. A July 25, 2002, Appendix E, prepared by Gradient Corporation, is attached.
15. Report: Fine Fraction Supplemental Risk Assessment for the New Landfill, Avtex Fibers, Front Royal, Virginia, prepared by FMC, 8/19/02. P. 302775-302839.
16. Letter to Ms. Bonnie Gross, U.S. EPA, from Mr. William Cutler, FMC, re: Transmittal of final version of the Fine Fraction Supplemental Risk Assessment for the New Landfill, 8/19/02. P. 302840-302841.
17. Letter to Mr. William Cutler, FMC, from Ms. Bonnie Gross, U.S. EPA, re: Approval of the Fine Fraction Supplemental Risk Assessment Report, 8/23/02. P. 302842-302842.
18. Letter to Ms. Bonnie Gross, U.S. EPA, from Mr. William Cutler, FMC, re: Clarification of the process for determining the direct contact site cleanup standards, 5/21/03. P. 302843-302850.
19. Letter to Ms. Bonnie Gross, U.S. EPA, from Mr. E.D. Gillispie, VDEQ, re: VDEQ comments on PRAP, 7/18/02. P. 302851-302853.

20. Letter to Ms. Bonnie Gross, U.S. EPA, from Mr. E.D. Gillispie, Virginia Department of Environmental Quality (VDEQ), re: VDEQ comments on PRAP, 6/3/03. P. 302854-302855.
21. Letter to Mr. William Cutler, FMC, from Ms. Bonnie Gross, U.S. EPA, re: Comments in response to May 21, 2003, letter regarding cleanup standards, 6/16/03. P. 3028556-302859.
22. Letter to Mr. E.D. Gillispie, VDEQ, from Ms. Bonnie Gross, U.S. EPA, re: VDEQ review of the draft and revised draft of the Proposed Remedial Action Plan (PRAP) for OU-10, 7/15/03. P. 302860-302867.
23. Report: Feasibility Study Report for OU10, Viscose Basins 1-8, New Landfill WWTP Closure and Plant Area Soils, Avtex Fibers, Front Royal, Virginia, prepared by ERM, 7/25/03. P. 302868-303160. A July 25, 2003, letter to Ms. Bonnie Gross, U.S. EPA, from Mr. William Cutler, FMC, regarding the transmittal of the final version of the Feasibility Study Report for Operable Unit 10, is attached.
24. Report: Proposed Plan, Operable Unit 10, Avtex Fibers, Front Royal Warren County, Virginia, prepared by U.S. EPA, 7/31/03. P. 303161-303212.
25. Letter to Mr. Abraham Ferdas, U.S. EPA, from Mr. Robert Weld, VDEQ, re: State concurrence on the Record of Decision (ROD), 3/3/04. P. 303213-303213.
26. Letter to Ms. Bonnie Gross, U.S. EPA, from Mr. William Cutler, FMC, re: Comments on the Final Version of the Proposed Approach to Characterize Plant Area Soils in the Vicinity of the proposed SoccerPlex Parcel in Front Royal, Virginia, 2/23/04. P. 303214-303218. A figure is attached.
27. Letter to Mr. William Cutler, FMC, from Ms. Bonnie Gross, U.S. EPA, re: Approval of the Final Version of the Proposed Approach to Characterize Plant Area Soils in the Vicinity of the proposed SoccerPlex Parcel, 3/24/04. P. 303219-303219.
28. Letter to Ms. Bonnie Gross, U.S. EPA, from Ms. Marguerite Carpenter, FMC, re: Final Approach to Characterize the Burnt Debris/ash Area in the Vicinity of the proposed SoccerPlex Parcel, 9/23/04. P. 303220-303227. An aerial photo and table are attached.

29. Letter to Ms. Marguerite Carpenter, FMC, from Ms. Bonnie Gross, U.S. EPA, re: Final Approach to Characterize the Burnt Debris/Ash Area, 9/23/04. P. 303228-303228.
30. Report: Investigation Report for Soils Adjacent to the SoccerPlex Parcel, Non-time Critical Removal Action - Buildings and OU-10 Plant Area Soils, Avtex Fibers Superfund Site, Front Royal, Virginia, 10/11/04. P. 303229-303244. A cover letter to Ms. Bonnie Gross, U.S. EPA, from Ms. Marguerite Carpenter, FMC, is attached.
31. Letter to Ms. Marguerite Carpenter, FMC, from Ms. Bonnie Gross, U.S. EPA, re: Comments on Investigation Report for Soils Adjacent to the SoccerPlex Parcel, 10/19/04. P. 303245-303247.
32. Report: Final Debris Area Sample Results Report, Avtex Fibers Superfund Site, Front Royal, Virginia, 9/30/05. P. 303248-303348. A cover letter to Ms. Bonnie Gross, U.S. EPA, from Ms. Marguerite Carpenter, FMC, is attached.
33. Electronic memorandum to Ms. Bonnie Gross, U.S. EPA, from Mr. John Hazard, Environmental Resources Management, Inc., re: Comments on the coal seam located near the SoccerPlex Parcel, 11/1/05. P. 3033349-3033350.
34. Letter to Ms. Bonnie Gross, U.S. EPA, from Mr. Robert Weld, VDEQ, re: State concurrence on the Explanation of Significant Differences (ESD), 12/28/05. P. 303351-303351.
35. Memorandum to File, from Ms. Bonnie Gross, U.S. EPA, re: Comments on the coal seam located near the SoccerPlex Parcel, 1/5/06. P. 303352-303352.
36. Explanation of Significant Differences (ESD), Operable Unit 10, Avtex Fibers Superfund Site, 1/10/06. P. 303353-303369.

V. COMMUNITY INVOLVEMENT

1. Letter to Ms. Megan Dougherty, U.S. EPA, from Ms. Paula MacGregor, re: Comments on EPA cleanup action relating to Avtex Fibers, 8/8/03. P. 500001-500001.
2. Transcript of Public Meeting Minutes, Avtex Fibers, 8/14/03. P. 500002-500054.

GUIDANCE DOCUMENTS

1. Presumptive Remedy for CERCLA Municipal Landfill Sites, prepared by Office of Emergency and Remedial Response, 1/93.
2. Landfill Presumptive Remedy Saves Time and Cost, prepared by Office of Emergency and Remedial Response, 1/97.
3. A Citizen's Guide to Understanding Presumptive Remedies, prepared by Office of Emergency and Remedial Response, 10/97.
4. Memorandum to Waste Management Division Directors, Regions I, IV, V, VII, and VIII, Emergency and Remedial Response Division Director, Region II, Hazardous Waste Management Division Directors, Region III, VI, and IX, Hazardous Waste Division Director, Region X, from Mr. Henry L. Longest, II, U.S. EPA, re: Guidance on remedial actions for Superfund sites with PCB Contamination/Superfund management review: Recommendation 23, 8/15/90. The following are attached:
 - a) guidance on remedial actions for Superfund sites with PCB contamination;
 - b) "Short Sheet" -- A guide on remedial actions at Superfund Sites with PCB contamination;
 - c) joint memorandum: "PCB Contamination at Superfund Sites -- Relationship of TSCA Anti-Dilution Provision to Superfund Response Actions."